

SwyxON Live Metrics - Data point overview

Nr.	Datenpunkt	Typ	Detailed Description (EN)
1	ippbxcdservice_avatarlist_per_second	gauge	Config Data Store Service AvatarList Per Second
2	ippbxcdservice_callback_pings_per_second	gauge	Config Data Store Service Callback Pings Per Second
3	ippbxcdservice_file_per_second	gauge	Config Data Store Service File Per Second
4	ippbxcdservice_filelist_per_second	gauge	Config Data Store Service FileList Per Second
5	ippbxcdservice_globalconfig_per_second	gauge	Config Data Store Service GlobalConfigPerSecond
6	ippbxcdservice_globalconfigitem_per_second	gauge	Config Data Store Service GlobalConfigItemPerSecond
7	ippbxcdservice_logins_per_second	gauge	Config Data Store Service logins Per Second
8	ippbxcdservice_phoneclient_per_second	gauge	Config Data Store Service Phoneclient Per Second
9	ippbxcdservice_requests_per_second	gauge	Config Data Store Service RequestsPerSecond
10	ippbxcdservice_usrphnbk_per_second	gauge	Config Data Store Service UsrPhnBk Per Second
11	ippbxcdservice_windows_logins_per_second	gauge	Config Data Store Service Windows logins Per Second

12	ippbxpresmgr_all_action_queue_length_counter	gauge	Presence Manager All Action Queue Length Counter
13	ippbxpresmgr_intersite_notify_counter_per_seconds	gauge	Presence Manager Intersite Notify Counter Per Seconds
14	ippbxpresmgr_notify_counter_per_seconds	gauge	Presence Manager Notify Counter Per Seconds
15	ippbxpresmgr_notify_data_count_per_seconds	gauge	Presence Manager Notify Data Count Per Seconds
16	ippbxpresmgr_notify_phone_book_state_per_second	gauge	Presence Manager Notify Phone Book State Per Second
17	ippbxpresmgr_presentity_context_count	gauge	Presence Manager Presentity Context Count
18	ippbxpresmgr_site_count	gauge	Presence Manager Site Count
19	ippbxpresmgr_state_change_counter_per_second	gauge	Presence Manager State Change Counter Per Second
20	ippbxpresmgr_subscription_count	gauge	Presence Manager Subscription Count
21	ippbxpresmgr_subscription_count_per_second	gauge	Presence Manager Subscription Count Per Second
22	swyxware_active_calls	gauge	Number of currently active calls.
23	swyxware_active_external_calls	gauge	Number of currently active external calls.

24	swyxware_active_internal_calls	gauge	Number of currently active internal calls.
25	swyxware_avg_time_address_resolution	gauge	Average time spent in last 100 address resolutions in ms
26	swyxware_calls	counter	Number of calls made with SwyxWare since system has been started
27	swyxware_client_devices	gauge	Number of currently registered client devices
28	swyxware_conference_devices	gauge	Number of currently logged in conference devices
29	swyxware_devices_forcibly_unregistered	gauge	Number of devices forcibly unregistered
30	swyxware_executed_scripts	counter	Total number of executed scripts since system has been started
31	swyxware_gateway_trunks	gauge	Number of currently logged in SwyxGate trunks
32	swyxware_licensed_channels	gauge	Total number of channel licenses installed
33	swyxware_licensed_users	gauge	Total number of user licenses installed
34	swyxware_link_trunks	gauge	Number of currently logged in IP link trunks
35	swyxware_logged_in_users	gauge	Number of currently logged in users
36	swyxware_max_time_address_resolution	gauge	Maximum time spent in address resolution in ms

37	swyxware_number_of_subscriptions	gauge	Number of subscriptions clients have registered for getting notifications
38	swyxware_pbx_config_objects	gauge	Number of PBX config objects
39	swyxware_pbx_config_status_objects	gauge	Number of PBX config status objects
40	swyxware_pbx_config_user_objects	gauge	Number of PBX config user objects
41	swyxware_pbx_script_call_objects	gauge	Number of PBX script call objects
42	swyxware_pbx_script_group_objects	gauge	Number of PBX script group objects
43	swyxware_pbx_script_objects	gauge	Number of PBX script objects
44	swyxware_pbx_script_user_objects	gauge	Number of PBX script user objects
45	swyxware_rejected_calls	counter	Number of rejected calls per second because of high load
46	swyxware_rejected_registrations	counter	Number of rejected registrations per second because of high load
47	swyxware_rejected_subscriptions	counter	Number of rejected subscriptions per second because of high load
48	swyxware_running_scripts	gauge	Number of currently running call routing scripts
49	swyxware_script_devices	gauge	Number of devices for scripting purpose

50	swyxware_script_file_cache_hits_percent	gauge	% script file cache hits is the percentage of script loads where the script could be retrieved from the cache.
51	swyxware_script_file_cache_misses_percent	gauge	% script file cache misses is the percentage of script loads where the script had to be retrieved from the database.
52	swyxware_script_file_cache_size	gauge	Script file cache size in bytes
53	swyxware_script_load_time	gauge	Number of milliseconds needed to load call routing script for a call
54	swyxware_server_active	gauge	Counter is greater then zero if server is active
55	swyxware_sip_devices	gauge	Number of currently logged in SIP client devices. This does not include SwyxLinks.
56	swyxware_swyxit_devices	gauge	Number of currently logged in SwyxIt! clients
57	swyxware_swyxphone_devices	gauge	Number of currently logged in SwyxPhone clients
58	swyxware_trunks	gauge	Number of currently logged in trunks (sum of logged in SwyxGate and IP link trunks)
59	swyxware_workitem_queue_length	gauge	Number of currently queued thread pool work items
60	swyxware_federation_calendar_sync_enabled	gauge	Indicates if calendar synchronization is enabled.

61	swyxwarefederation_contact_sync_enabled	gauge	Indicates if contact synchronization is enabled.
62	swyxwarefederation_days_until_expiration_of_client_authentication_certificate	gauge	Days until expiration of the client authentication certificate.
63	swyxwarefederation_entra_id_sync_enabled	gauge	Indicates if Entra ID synchronization is enabled.
64	swyxwarefederation_last_number_of_failed_authentications_for_sync	gauge	Last number of failed authentications for synchronization.
65	swyxwarefederation_last_number_of_succeeded_authentications_for_sync	gauge	Last number of succeeded authentications for synchronization.
66	swyxwarefederation_number_federated_identities	gauge	Number of federated identities.
67	swyxwarefederation_number_of_calendar_events_read_today	gauge	Number of calendar events read today.
68	swyxwarefederation_number_of_calendar_queries_today	gauge	Number of calendar queries made today.
69	swyxwarefederation_number_of_contact_queries_today	gauge	Number of contact queries made today.
70	swyxwarefederation_number_of_people_contacts_read_today	gauge	Number of people contacts read today.
71	swyxwarefederation_number_of_people_queries_today	gauge	Number of people queries made today.
72	swyxwarefederation_number_of_personal_contacts_read_today	gauge	Number of personal contacts read today.
73	swyxwarefederation_number_of_user_queries_today	gauge	Number of user queries made today.

74	swyxwarefederation_number_of_users_read_today	gauge	Number of users read today.
75	swyxwarefederation_number_swyxware_users_with_federated_identity	gauge	Number of SwyxWare users with federated identity.
76	swyxwarelinkmgr_ext_max_round_trip_delay	gauge	External maximum round trip delay
77	swyxwarelinkmgr_ext_max_rx_absolute_jitter	gauge	External maximum receive absolute jitter
78	swyxwarelinkmgr_ext_max_rx_fractional_packet_loss	gauge	External maximum receive fractional packet loss
79	swyxwarelinkmgr_ext_max_rx_packet_loss	gauge	External maximum receive packet loss
80	swyxwarelinkmgr_ext_max_rx_rtp_jitter	gauge	External maximum receive RTP jitter
81	swyxwarelinkmgr_ext_max_tx_fractional_packet_loss	gauge	External maximum transmit fractional packet loss
82	swyxwarelinkmgr_ext_max_tx_rtp_jitter	gauge	External maximum transmit RTP jitter
83	swyxwarelinkmgr_ext_mean_round_trip_delay	gauge	External mean round trip delay
84	swyxwarelinkmgr_ext_mean_rx_absolute_jitter	gauge	External mean receive absolute jitter
85	swyxwarelinkmgr_ext_mean_rx_fractional_packet_loss	gauge	External mean receive fractional packet loss
86	swyxwarelinkmgr_ext_mean_rx_packet_loss	gauge	External mean receive packet loss
87	swyxwarelinkmgr_ext_mean_rx_rtp_jitter	gauge	External mean receive RTP jitter

88	swyxwarelinkmgr_ext_mean_tx_fractional_packet_loss	gauge	External mean transmit fractional packet loss
89	swyxwarelinkmgr_ext_mean_tx_rtp_jitter	gauge	External mean transmit RTP jitter
90	swyxwarelinkmgr_ext_rtp_stat_count	gauge	External RTP statistic count
91	swyxwarelinkmgr_int_max_round_trip_delay	gauge	Internal maximum round trip delay
92	swyxwarelinkmgr_int_max_rx_absolute_jitter	gauge	Internal maximum receive absolute jitter
93	swyxwarelinkmgr_int_max_rx_fractional_packet_loss	gauge	Internal maximum receive fractional packet loss
94	swyxwarelinkmgr_int_max_rx_packet_loss	gauge	Internal maximum receive packet loss
95	swyxwarelinkmgr_int_max_rx_rtp_jitter	gauge	Internal maximum receive RTP jitter
96	swyxwarelinkmgr_int_max_tx_fractional_packet_loss	gauge	Internal maximum transmit fractional packet loss
97	swyxwarelinkmgr_int_max_tx_rtp_jitter	gauge	Internal maximum transmit RTP jitter
98	swyxwarelinkmgr_int_mean_round_trip_delay	gauge	Internal mean round trip delay
99	swyxwarelinkmgr_int_mean_rx_absolute_jitter	gauge	Internal mean receive absolute jitter
100	swyxwarelinkmgr_int_mean_rx_fractional_packet_loss	gauge	Internal mean receive fractional packet loss
101	swyxwarelinkmgr_int_mean_rx_packet_loss	gauge	Internal mean receive packet loss

102	swyxwarelinkmgr_int_mean_rx_rtp_jitter	gauge	Internal mean receive RTP jitter
103	swyxwarelinkmgr_int_mean_tx_fractional_packet_loss	gauge	Internal mean transmit fractional packet loss
104	swyxwarelinkmgr_int_mean_tx_rtp_jitter	gauge	Internal mean transmit RTP jitter
105	swyxwarelinkmgr_int_rtp_stat_count	gauge	Internal RTP statistic count
106	swyxwarelocation_inter_location_call_limit	gauge	Number of allowed calls between this location and another location.
107	swyxwarelocation_inter_location_calls	gauge	Number of current calls between this location and another location.
108	swyxwarepns_failed_push_requests	counter	Number of failed push requests
109	swyxwarepns_push_requests_answered	counter	Number of push requests answered by devices
110	swyxwarepns_registered_devices	gauge	Number of registered devices for push notifications
111	swyxwarepns_successful_push_requests	counter	Number of successful push requests
112	swyxwarepns_total_calls_processed	counter	Total number of calls processed by the Push Notification Service
113	swyxwarepns_total_push_requests	counter	Total number of push requests
114	swyxwarepnsapple_calls_processed	counter	Total number of calls processed

115	swyxwarepnsapple_failed_push_requests	counter	Number of failed push requests
116	swyxwarepnsapple_last_push_request_response_time	gauge	Last push request response time in milliseconds
117	swyxwarepnsapple_max_response_time_push_requests	gauge	Maximum response time for push requests in milliseconds
118	swyxwarepnsapple_push_requests_answered	counter	Number of push requests answered by devices
119	swyxwarepnsapple_push_requests_pending	gauge	Number of push requests pending
120	swyxwarepnsapple_registered_devices	gauge	Number of registered devices
121	swyxwarepnsapple_successful_push_requests	counter	Number of successful push requests
122	swyxwarepnsapple_total_push_requests	counter	Total number of push requests
123	swyxwarepnsgoogle_calls_processed	counter	Total number of calls processed
124	swyxwarepnsgoogle_failed_push_requests	counter	Number of failed push requests
125	swyxwarepnsgoogle_last_push_request_response_time	gauge	Last push request response time in milliseconds
126	swyxwarepnsgoogle_max_response_time_push_requests	gauge	Maximum response time for push requests in milliseconds
127	swyxwarepnsgoogle_push_requests_answered	counter	Number of push requests answered by devices
128	swyxwarepnsgoogle_push_requests_pending	gauge	Number of push requests pending

129	swyxwarepnsgoogle_registered_devices	gauge	Number of registered devices
130	swyxwarepnsgoogle_successful_push_requests	counter	Number of successful push requests
131	swyxwarepnsgoogle_total_push_requests	counter	Total number of push requests
132	windows_exporter_build_info	gauge	A metric with a constant '1' value labeled by version, revision, branch, goversion from which windows_exporter was built, and the goos and goarch for the build.
133	windows_exporter_collector_duration_seconds	gauge	windows_exporter: Duration of a collection.
134	windows_exporter_collector_success	gauge	windows_exporter: Whether the collector was successful.
135	windows_exporter_collector_timeout	gauge	windows_exporter: Whether the collector timed out.
136	windows_exporter_perflib_snapshot_duration_seconds	gauge	Duration of perflib snapshot capture
137	windows_exporter_scrape_duration_seconds	gauge	windows_exporter: Total scrape duration.